

ANALYTICAL REPORT


Job Number: 280-114793-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management
2715 Sandlin Road, SW
Decatur, AL 35603

Attention: Mr. Bruce Freeman



Approved for release.
Danielle M Harrington
Project Manager II
10/5/2018 8:51 AM

Designee for
DiLea R Bindel, Project Manager I
4955 Yarrow Street, Arvada, CO, 80002
(303)736-0173
dilea.bindel@testamericainc.com
10/05/2018

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002

Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Definitions/Glossary

Client: Alabama Dept. Environmental Management
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-114793-1

Qualifiers

LCMS

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-114793-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 09/26/2018; the samples arrived in good condition, properly preserved and on ice. The temperature of the coolers at receipt was 0.8 C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-114793-1) and GADSDEN-FINISHED (280-114793-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 09/27/2018 and analyzed on 09/29/2018.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: GADSDEN-RAW (280-114793-1) and GADSDEN-FINISHED (280-114793-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the sample(s).

The opening continuing calibration verification (CCV) was high for 13C8 PFOS. The samples were in control and the closing CCV was in control, therefore, corrective action is deemed unnecessary.

Perfluorohexanoic acid (PFHxA) was detected in method blank MB 280-431186/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: Alabama Dept. Environmental Management
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-114793-1

Client Sample ID: GADSDEN-RAW

Lab Sample ID: 280-114793-1

Date Collected: 09/24/18 21:38

Matrix: Water

Date Received: 09/26/18 09:15

Method: DV-LC-0012 - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.018		0.016	0.0081	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorodecanoic acid (PFDA)	0.0065	U	0.016	0.0065	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorododecanoic acid (PFDoA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluoroheptanoic acid (PFHpA)	0.015	J	0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorohexanoic acid (PFHxA)	0.036	B	0.016	0.0024	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorononanoic acid (PFNA)	0.014	U	0.033	0.014	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorooctanoic acid (PFOA)	0.031		0.016	0.0081	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorooctane Sulfonate (PFOS)	0.049		0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluoropentanoic acid (PFPA)	0.059		0.025	0.0090	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorotridecanoic Acid (PFTriA)	0.015	U	0.033	0.015	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluoroundecanoic acid (PFUnA)	0.0057	U	0.016	0.0057	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorobutanesulfonic acid (PFBS)	0.10		0.016	0.0068	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorodecanesulfonic acid (PFDS)	0.0075	U	0.016	0.0075	ug/L		09/27/18 08:52	09/29/18 00:19	1
Perfluorohexanesulfonic acid (PFHxS)	0.0057	U	0.025	0.0057	ug/L		09/27/18 08:52	09/29/18 00:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	88		60 - 155				09/27/18 08:52	09/29/18 00:19	1
13C8 PFOS	96		45 - 130				09/27/18 08:52	09/29/18 00:19	1

Client Sample ID: GADSDEN-FINISHED

Lab Sample ID: 280-114793-2

Date Collected: 09/25/18 12:00

Matrix: Water

Date Received: 09/26/18 09:15

Method: DV-LC-0012 - Fluorinated Alkyl Substances

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutanoic acid (PFBA)	0.016	J	0.017	0.0083	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorodecanoic acid (PFDA)	0.0066	U	0.017	0.0066	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorododecanoic acid (PFDoA)	0.013	U	0.025	0.013	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluoroheptanoic acid (PFHpA)	0.012	J	0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorohexanoic acid (PFHxA)	0.033	B	0.017	0.0025	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorononanoic acid (PFNA)	0.015	U	0.034	0.015	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorooctanoic acid (PFOA)	0.027		0.017	0.0082	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorooctane Sulfonate (PFOS)	0.037		0.025	0.011	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluoropentanoic acid (PFPA)	0.056		0.025	0.0092	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorotetradecanoic acid (PFTeA)	0.012	U	0.025	0.012	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorotridecanoic Acid (PFTriA)	0.015	U	0.034	0.015	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluoroundecanoic acid (PFUnA)	0.0058	U	0.017	0.0058	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorobutanesulfonic acid (PFBS)	0.096		0.017	0.0069	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorodecanesulfonic acid (PFDS)	0.0077	U	0.017	0.0077	ug/L		09/27/18 08:52	09/29/18 00:07	1
Perfluorohexanesulfonic acid (PFHxS)	0.0059	U	0.025	0.0059	ug/L		09/27/18 08:52	09/29/18 00:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	87		60 - 155				09/27/18 08:52	09/29/18 00:07	1
13C8 PFOS	97		45 - 130				09/27/18 08:52	09/29/18 00:07	1