

ANALYTICAL REPORT

Job Number: 280-97790-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management
2715 Sandlin Road, SW
Decatur, AL 35603
Attention: Mr. Ed Poolos



Approved for release.
Stephanie K Rothmeyer
Project Manager I
6/12/2017 11:42 AM

Stephanie K Rothmeyer, Project Manager I
4955 Yarrow Street, Arvada, CO, 80002
(303)736-0182
stephanie.rothmeyer@testamericainc.com
06/12/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAP, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

TestAmerica Laboratories, Inc.

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002

Tel (303) 736-0100 Fax (303) 431-7171 www.testamericainc.com

Definitions/Glossary

Client: Alabama Dept. Environmental Management
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-97790-1

Qualifiers

LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

CASE NARRATIVE

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-97790-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 6/1/2017 at 8:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 2.1° C.

PERFLUORINATED HYDROCARBONS (PFC)

Samples GADSDEN-RAW (280-97790-3) and GADSDEN-FINISHED (280-97790-4) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 06/05/2017 and analyzed on 06/06/2017.

Internal standard responses were outside of acceptance limits for the following sample: GADSDEN-RAW (280-97790-3), GADSDEN-FINISHED (280-97790-4). The samples show evidence of matrix interference.

The following sample was decanted prior to preparation: GADSDEN-RAW (280-97790-3). Solvent rinse of the original container could not be performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: Alabama Dept. Environmental Management
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-97790-1

Client Sample ID: GADSDEN-RAW

Lab Sample ID: 280-97790-3

Date Collected: 05/30/17 20:00

Matrix: Water

Date Received: 06/01/17 08:50

Method: DV-LC-0012 - Perfluorinated Hydrocarbons

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.064		0.019	0.0078	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorobutanoic acid (PFBA)	0.012	J	0.019	0.0092	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorodecane sulfonate (PFDS)	0.0086	U	0.019	0.0086	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorodecanoic acid (PFDA)	0.0074	U	0.019	0.0074	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorododecanoic acid (PFDoA)	0.014	U	0.028	0.014	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluoroheptanoic acid (PFHpA)	0.012	U	0.028	0.012	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorohexane Sulfonate (PFHxS)	0.0066	U	0.028	0.0066	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorohexanoic acid (PFHxA)	0.023		0.019	0.0027	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorononanoic acid (PFNA)	0.016	U	0.038	0.016	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorooctanoic acid (PFOA)	0.019		0.019	0.0092	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorooctane Sulfonate (PFOS)	0.043		0.028	0.013	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluoropentanoic acid (PFPA)	0.036		0.028	0.010	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorotetradecanoic acid (PFTeA)	0.014	U	0.028	0.014	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluorotridecanoic Acid (PFTriA)	0.017	U	0.038	0.017	ug/L		06/05/17 12:44	06/06/17 17:23	1
Perfluoroundecanoic acid (PFUnA)	0.0065	U	0.019	0.0065	ug/L		06/05/17 12:44	06/06/17 17:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	122		60 - 155				06/05/17 12:44	06/06/17 17:23	1
13C8 PFOS	111		45 - 130				06/05/17 12:44	06/06/17 17:23	1

Client Sample ID: GADSDEN-FINISHED

Lab Sample ID: 280-97790-4

Date Collected: 05/31/17 10:00

Matrix: Water

Date Received: 06/01/17 08:50

Method: DV-LC-0012 - Perfluorinated Hydrocarbons

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.061		0.020	0.0081	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorobutanoic acid (PFBA)	0.013	J	0.020	0.0097	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorodecane sulfonate (PFDS)	0.0090	U	0.020	0.0090	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorodecanoic acid (PFDA)	0.0077	U	0.020	0.0077	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorododecanoic acid (PFDoA)	0.015	U	0.030	0.015	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluoroheptanoic acid (PFHpA)	0.013	U	0.030	0.013	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorohexane Sulfonate (PFHxS)	0.0069	U	0.030	0.0069	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorohexanoic acid (PFHxA)	0.027		0.020	0.0029	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorononanoic acid (PFNA)	0.017	U	0.040	0.017	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorooctanoic acid (PFOA)	0.023		0.020	0.0097	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorooctane Sulfonate (PFOS)	0.044		0.030	0.013	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluoropentanoic acid (PFPA)	0.044		0.030	0.011	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorotetradecanoic acid (PFTeA)	0.015	U	0.030	0.015	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluorotridecanoic Acid (PFTriA)	0.017	U	0.040	0.017	ug/L		06/05/17 12:44	06/06/17 17:35	1
Perfluoroundecanoic acid (PFUnA)	0.0068	U	0.020	0.0068	ug/L		06/05/17 12:44	06/06/17 17:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
13C8 PFOA	120		60 - 155				06/05/17 12:44	06/06/17 17:35	1
13C8 PFOS	122		45 - 130				06/05/17 12:44	06/06/17 17:35	1

Default Detection Limits

Client: Alabama Dept. Environmental Management
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-97790-1

Method: DV-LC-0012 - Perfluorinated Hydrocarbons

Prep: 3535

Analyte	RL	MDL	Units	Method
Perfluorobutane Sulfonate (PFBS)	0.020	0.0082	ug/L	DV-LC-0012
Perfluorobutanoic acid (PFBA)	0.020	0.0098	ug/L	DV-LC-0012
Perfluorodecane sulfonate (PFDS)	0.020	0.0092	ug/L	DV-LC-0012
Perfluorodecanoic acid (PFDA)	0.020	0.0078	ug/L	DV-LC-0012
Perfluorododecanoic acid (PFDoA)	0.030	0.015	ug/L	DV-LC-0012
Perfluoroheptanoic acid (PFHpA)	0.030	0.013	ug/L	DV-LC-0012
Perfluorohexane Sulfonate (PFHxS)	0.030	0.0070	ug/L	DV-LC-0012
Perfluorohexanoic acid (PFHxA)	0.020	0.0029	ug/L	DV-LC-0012
Perfluorononanoic acid (PFNA)	0.040	0.017	ug/L	DV-LC-0012
Perfluorooctane Sulfonate (PFOS)	0.030	0.013	ug/L	DV-LC-0012
Perfluorooctanoic acid (PFOA)	0.020	0.0098	ug/L	DV-LC-0012
Perfluoropentanoic acid (PFPA)	0.030	0.011	ug/L	DV-LC-0012
Perfluorotetradecanoic acid (PFTeA)	0.030	0.015	ug/L	DV-LC-0012
Perfluorotridecanoic Acid (PFTriA)	0.040	0.018	ug/L	DV-LC-0012
Perfluoroundecanoic acid (PFUnA)	0.020	0.0069	ug/L	DV-LC-0012