

## ANALYTICAL REPORT

Job Number: 280-102266-1

Job Description: ADEM PFC Sampling - Gadsden

For:

Alabama Dept. Environmental Management  
2715 Sandlin Road, SW  
Decatur, AL 35603

Attention: Mr. Bruce Freeman



Approved for release.  
Stephanie K Rothmeyer  
Project Manager I  
10/18/2017 11:33 AM

---

Stephanie K Rothmeyer, Project Manager I  
4955 Yarrow Street, Arvada, CO, 80002  
(303)736-0182  
stephanie.rothmeyer@testamericainc.com  
10/18/2017

The test results in this report relate only to the samples in this report and meet all requirements of NELAC, with any exceptions noted. Pursuant to NELAP, this report shall not be reproduced except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the TestAmerica Denver Project Manager.

The Lab Certification ID# is 4025.

Reporting limits are adjusted for sample size used, dilutions and moisture content if applicable.

**TestAmerica Laboratories, Inc.**

TestAmerica Denver 4955 Yarrow Street, Arvada, CO 80002  
Tel (303) 736-0100 Fax (303) 431-7171 [www.testamericainc.com](http://www.testamericainc.com)

## Definitions/Glossary

Client: Alabama Dept. Environmental Management  
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-102266-1

---

### Qualifiers

---

#### LCMS

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.
B	Compound was found in the blank and sample.
*	RPD of the LCS and LCSD exceeds the control limits

---

### Glossary

---

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

## CASE NARRATIVE

Client: Alabama Dept. Environmental Management

Project: ADEM PFC Sampling - Gadsden

Report Number: 280-102266-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In some cases, due to interference or analytes present at high concentrations, samples were diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

### **RECEIPT**

The samples were received on 10/12/2017 at 8:40 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 0.4° C.

### **PERFLUORINATED HYDROCARBONS (PFC)**

Samples GADSDEN-RAW (280-102266-1) and GADSDEN-FINISHED (280-102266-2) were analyzed for Perfluorinated Hydrocarbons (PFC) in accordance with SOP DV-LC-0012. The samples were prepared on 10/13/2017 and analyzed on 10/16/2017.

Perfluorohexanoic acid (PFHxA) was detected in method blank MB 280-391171/1-A at a level that was above the method detection limit but below the reporting limit. The value should be considered an estimate, and has been flagged. If the associated sample reported a result above the MDL and/or RL, the result has been flagged. Refer to the QC report for details.

Perfluorotridecanoic Acid (PFTriA) exceeded the RPD limit for LCSD 280-391171/3-A. The LCS/LCSD %Recovery for Perfluorotridecanoic Acid (PFTriA) is in control. Refer to the QC report for details.

The Isotope Dilution Analyte (IDA) recovery associated with the following samples is below the method recommended limit: GADSDEN-RAW (280-102266-1), GADSDEN-FINISHED (280-102266-2). Generally, data quality is not considered affected if the IDA signal-to-noise ratio is greater than 10:1, which is achieved for all IDA in the samples.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## Client Sample Results

Client: Alabama Dept. Environmental Management  
Project/Site: ADEM PFC Sampling - Gadsden

TestAmerica Job ID: 280-102266-1

**Client Sample ID: GADSDEN-RAW**

**Lab Sample ID: 280-102266-1**

Date Collected: 10/10/17 20:00

Matrix: Water

Date Received: 10/12/17 08:40

**Method: DV-LC-0012 - Perfluorinated Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.094		0.021	0.0013	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorobutanoic acid (PFBA)	0.018	J	0.021	0.0021	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorodecane sulfonate (PFDS)	0.0014	U	0.021	0.0014	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorodecanoic acid (PFDA)	0.0086	J	0.021	0.00071	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorododecanoic acid (PFDoA)	0.0035	J	0.032	0.00090	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluoroheptanoic acid (PFHpA)	0.015	J	0.032	0.00093	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorohexane Sulfonate (PFHxS)	0.0065	J	0.032	0.0019	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorohexanoic acid (PFHxA)	0.040	B	0.021	0.0011	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorononanoic acid (PFNA)	0.0050	J	0.042	0.0011	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorooctanoic acid (PFOA)	0.032		0.021	0.00095	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorooctane Sulfonate (PFOS)	0.052		0.032	0.0012	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluoropentanoic acid (PFPA)	0.062		0.032	0.00072	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorotetradecanoic acid (PFTeA)	0.0011	U	0.032	0.0011	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluorotridecanoic Acid (PFTriA)	0.00092	U *	0.042	0.00092	ug/L		10/13/17 09:07	10/16/17 17:44	1
Perfluoroundecanoic acid (PFUnA)	0.0046	J	0.021	0.00083	ug/L		10/13/17 09:07	10/16/17 17:44	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C8 PFOA	115		60 - 155				10/13/17 09:07	10/16/17 17:44	1
13C8 PFOS	119		45 - 130				10/13/17 09:07	10/16/17 17:44	1

**Client Sample ID: GADSDEN-FINISHED**

**Lab Sample ID: 280-102266-2**

Date Collected: 10/11/17 10:00

Matrix: Water

Date Received: 10/12/17 08:40

**Method: DV-LC-0012 - Perfluorinated Hydrocarbons**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Perfluorobutane Sulfonate (PFBS)	0.096		0.020	0.0012	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorobutanoic acid (PFBA)	0.018	J	0.020	0.0020	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorodecane sulfonate (PFDS)	0.0013	U	0.020	0.0013	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorodecanoic acid (PFDA)	0.0078	J	0.020	0.00066	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorododecanoic acid (PFDoA)	0.00084	U	0.029	0.00084	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluoroheptanoic acid (PFHpA)	0.014	J	0.029	0.00087	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorohexane Sulfonate (PFHxS)	0.0061	J	0.029	0.0018	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorohexanoic acid (PFHxA)	0.039	B	0.020	0.00099	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorononanoic acid (PFNA)	0.0053	J	0.039	0.00099	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorooctanoic acid (PFOA)	0.030		0.020	0.00088	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorooctane Sulfonate (PFOS)	0.048		0.029	0.0011	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluoropentanoic acid (PFPA)	0.062		0.029	0.00067	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorotetradecanoic acid (PFTeA)	0.0010	U	0.029	0.0010	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluorotridecanoic Acid (PFTriA)	0.00086	U *	0.039	0.00086	ug/L		10/13/17 09:07	10/16/17 17:56	1
Perfluoroundecanoic acid (PFUnA)	0.0048	J	0.020	0.00078	ug/L		10/13/17 09:07	10/16/17 17:56	1
<b>Surrogate</b>	<b>%Recovery</b>	<b>Qualifier</b>	<b>Limits</b>				<b>Prepared</b>	<b>Analyzed</b>	<b>Dil Fac</b>
13C8 PFOA	112		60 - 155				10/13/17 09:07	10/16/17 17:56	1
13C8 PFOS	114		45 - 130				10/13/17 09:07	10/16/17 17:56	1

TestAmerica Denver